Autodesk® Simulation Mechanical 2016 vs. Autodesk® Nastran® In-CAD 2016 and Autodesk® Inventor® Professional 2016

Comparison matrix

	Autodesk® Inventor® Professional 2016	Autodesk® Nastran® In-CAD 2016	Autodesk® Simulation Mechanical 2016
CAD MODEL/INTEGRATIONS			
Embed into Autodesk Inventor	•	•	
Embed into SolidWorks®		•	
CAD File Translators	•	•	•
CAD Associativity with Autodesk Inventor	•	•	•
CAD Associativity with SolidWorks		•	•
CAD Associativity with Pro/Engineer and Creo			•
CAD Associativity with SpaceClaim			•
CAD Associativity with Rinoceros			•
PREPROCESSING			
Direct Modeling with Inventor Fusion			•
Defeaturing with Inventor Fusion			•
Inventor Parameters Integration	•		•
Extensive Materials Library	•	•	•
2D, Beam and Plate Modeling		•	•
Automatic Surface Meshing	•	•	•
Automatic Tetrahedral Meshing	•	•	•
Automatic Hexa-dominant Meshing			•
Automatic Midplane Meshing			•
Pressure Vessel Design and Meshing			•
CONTACT MODELING			
Rigid Bonding	•	•	•
Welded Contact		•	•
Surface Contact with Friction		•	•
Sliding Contact Without Separation	•	•	•
Separation Contact Without Sliding	•	•	•
Shrink Fit Contact (Linear, With or Without Sliding)	•		•
Thermal Contact (With or Without Resistance)		•	•



	Autodesk® Inventor® Professional 2016	Autodesk® Nastran® In-CAD 2016	Autodesk® Simulation Mechanical 2016
HEAT TRANSFER			
Steady-State Heat Transfer		•	• M
Transient Heat Transfer		•	•
LINEAR STRUCTURAL			
Static Stress	•	•	• M
Fatigue		•	•
Natural Frequency (Modal)	•	•	• M
Modal with Load Stiffening	•	•	• M
Response Spectrum		•	•
Random Vibration		•	•
Frequency Response		•	•
Transient Stress (Modal Superposition/Direct Integration)		•	•
Critical Buckling Load		•	• M
Dynamic Design Analysis Method (DDAM)			•
NONLINEAR STRUCTURAL			
Large Displacement		•	• N
Nonlinear Material Models		•	• N
Flexible and Rigid Body Motion		•	•
Nonlinear Buckling		•	•
Dynamic Nonlinear Analysis		•	•
Mechanical Event Simulation (MES)			•
MULTIPHYSICS			
Thermal-structural Coupling			• M
Fluid-thermal Coupling*			•
Fluid-structural Coupling			₩
Electrostatics-Structural			•
Electrostatics-Thermal (Joule-Heating Effect)			•
			_ M
Autodesk® Simulation CFD Interoperability			• <u>K</u>

^{*} Fully coupled fluid/thermal analyses can be performed by CFD alone, where temperature affects convective flow and vice versa (so iterative solving is necessary)

LEGEND:

→ Partial Feature

→ Full Feature



[★] The Autodesk® Nastran® solver option availble for finite element analysis (FEA)

	Autodesk® Inventor® Professional 2016	Autodesk [®] Nastran [®] In-CAD 2016	Autodesk® Simulation Mechanical 2016
POST PROCESSING			
Contour Display	•	•	•
Vector Display		•	•
Isoline and Isosurface Display		•	•
Custom Result Types		Θ	•
Stress Linearization			•
Slice Planes		-	•
Mirror Planes			•
3D Model Visualization for 2D, Plate, and Beam			•
Customizable Presentations		•	•
Animations	Θ	•	•
Image and CSV File Export	•	•	•
Custom Reporting (PDF, HTML, Word)	Θ	-	•
GENERAL			
Parallel Windows Solvers		•	•
Autodesk® Vault Data Management Interoperability	•		•
Autodesk® Showcase® Interoperability			•
Recurdyn Interoperability			•
Flexible Cloud Solving*			•

^{*} Only availble in Autodesk® Simulation Mechanical Flex

LEGEND: → Partial Feature → Full Feature

